



Transition from Taser X26 to Taser 10

In the coming months, the Training Division and the Technology Division will lead the department's transition to the new Taser 10 while gradually phasing out the Taser X26.

The Taser 10 has several upgrades, changes in nomenclature, and additional capabilities that will require training before use. In addition, the description of the device has changed from "Electronic Control Device (ECD)" to "Conductive Energy Device (CED)" to align with industry best practices.

During the transition period, both Taser models are authorized for Department use. Once the transition is complete, all Taser X26s will be removed from our inventory and will no longer be authorized for use.

In the interim, **Policy 309 will apply to Taser 10** and **Policy 312 will apply to Taser X26**. Policy 312 will be removed from Lexipol once we have fully transitioned to Taser 10.



Taser 10
Policy 309



Taser X26
Policy 312

Policy
309

Orange County Sheriff-Coroner Department
Orange County SD Policy Manual

Conducted Energy Device (CED) - Taser 10

309.1 PURPOSE AND SCOPE

When properly applied in accordance with this policy, the Conducted Energy Device (CED) is a less lethal device intended to temporarily incapacitate a violent or potentially violent subjects while substantially reducing the likelihood of serious injury or death. It is anticipated that the appropriate use of such a device will result in fewer serious injuries to both Members and subjects.

*****Policy 309 applies to Members carrying the Taser 10 CED. For Members carrying the Taser X26 CED, please refer to Policy 312.*****

Policy
312

Orange County Sheriff-Coroner Department
Orange County SD Policy Manual

Conducted Energy Device (CED) - Taser X26

312.1 PURPOSE AND SCOPE

When properly applied in accordance with this policy, the Conducted Energy Device (CED) is a control device which provides an "intermediate" or "medium" amount of force and is intended to temporarily incapacitate a violent or potentially violent individual without causing serious injury. It is anticipated that the appropriate use of such a device will result in fewer serious injuries to Members and subjects.

*****Policy 312 applies to Members carrying the Taser X26 CED. For Members carrying the Taser 10 CED, please refer to Policy 309.*****

